




## ABOUT US

WELKIN HARDWARE CO., LTD. was established in 2002, which locates in Jiangmen City, Guangdong Province, southeast of China. Our company is specialized in the hardware manufacture and exports for years, with team of experienced technology expertise and efficient management staff. Our products include glass fittings, handrail fittings, bathroom cubicle fittings, furniture hardware, door handles, door hinges, and other kinds of door fittings. Besides, we also offer OEM service.

We're trying our best to keep the products' quality good and stable, and give the best service to our customers, thus, our products are well-reputed by our customers who have been cooperating with us for many years, mainly in Europe. Moreover, we're making efforts to open up our market all over the world.

More details, please visit our homepage. Any inquiries will be highly appreciated.

WELKIN is looking forward to your friendly cooperation!

# Index

THE PURSUIT OF EXCELLENCE QUALITY, TO ENJOY A WONDERFUL LIFE.

About us


01

GLASS FITTINGS



11

HANDRAIL  
FITTINGS



16

TOILET  
CUBICLE  
FITTINGS



20

GLASS  
PULL  
HANDLE



32

DOOR  
LEVER HANDLE



39

FURNITURE  
HARDWARE



45





DOOR  
HARDWARE



# GLASS FITTINGS

High quality raw materials are selected and used for precision manufacture, characterized by good mechanical performance and corrosion resistance, with quality surface treatment, mainly applicable to bathroom, glass curtain wall, etc.


## GLASS SHOWER HINGE

**ART: GSH-001a**

**ART: GSH-002**

**ART: GSH-003**

**ART: GSH-004**



> Applicable for 8~10mm glass > Material: brass, stainless steel > Finish: CP/GP/NP/SCP/SNP/SSS/PSS

## GLASS SHOWER HINGE


ART: GSH-001b




ART: GSH-005



ART: GSH-006



ART: GSH-007



> Applicable for 8~10mm glass > Material: brass, stainless steel > Finish: CP/GP/NP/SCP/SNP/SSS/PSS

## GLASS CLAMP



ART: GC-001



Size  
42x51x24  
45x62x28





ART: GC-002



Size  
42x51x24  
45x62x28




ART: GC-003



Size  
42x51x24  
45x62x28



ART: GC-004




Size  
42x51x24  
45x62x28



> Applicable for 6~8 / 8~12mm glass > Curved design is for 38.1, 42.4, 50.8 tube > Material: stainless steel > Finish: SSS/PSS


## GLASS CLIP

ART: GC-101




Size  
45x45  
51x51

ART: GC-104



Size  
45x45  
51x51

ART: GC-102



Size  
45x45  
51x51

ART: GC-105



Size  
45x45  
51x51

ART: GC-103



Size  
45x45  
51x51

ART: GC-106




Size  
45x45  
51x51

> Applicable for 6~10mm glass > Material: brass, stainless steel > Finish: SCP/SNP/CP/SSS/PSS > The drawings above is for size 45x45mm


## GLASS CLIP

ART: GC-201



Size  
45x45  
51x51

ART: GC-204




Size  
45x45  
51x51

ART: GC-202




Size  
45x45  
51x51

ART: GC-205



Size  
45x45  
51x51

ART: GC-203



Size  
45x45  
51x51

ART: GC-206



Size  
45x45  
51x51


> Applicable for 6~10mm glass > Material: brass, stainless steel > Finish: SCP/SNP/CP/SSS/PSS > The drawings above are for size 45x45mm

## GLASS SPIDER

ART: GS-001




ART: GS-002



> Applicable for 6~8mm glass > Material: stainless steel > Finish: SSS/PSS

## GLASS CONNECTOR

ART: GC-301




ART: GC-302




> Applicable for 6~15mm glass > Material: stainless steel > Finish: SSS/PSS

## GLASS HOLDER

ART: GS-003



ART: GS-004



> Applicable for 6~8mm glass > Material: stainless steel > Finish: SSS/PSS

ART: GH-001




ART: GH-002




> Applicable for 8~10mm glass > Material: brass, stainless steel > Finish: SCP/SNP/CP/SSS/PSS

## GLASS SPIGOT


ART: GS-101



ART: GS-102



ART: GS-103




ART: GS-104




> Applicable for 10~14mm glass > Material: stainless steel > Finish: SSS/PSS

## GLASS SPIGOT


ART: GS-105



ART: GS-106



ART: GS-107



ART: GS-108



> Applicable for 10~14mm glass > Material: stainless steel > Finish: SSS/PSS

# HANDRAIL FITTINGS

Good quality stainless steel 316 is selected and used for advanced production technology to die-cast, as fittings of handrails, which is widely used in residences, commercial buildings, hotels, and other projects.



Interior Pipe Plug

ART: HRS-001



| Ø    | D  |
|------|----|
| 42.4 | 16 |
| 50.8 | 16 |

Decorative Cover

ART: HRS-101



| Ø    | T |
|------|---|
| 42.4 | 2 |
| 50.8 | 2 |

Connecting Elbow

ART: HRS-201



| Ø    | H   |
|------|-----|
| 42.4 | 95  |
| 50.8 | 105 |

Connecting Elbow

ART: HRS-202



| Ø    | H  |
|------|----|
| 42.4 | 30 |
| 50.8 | 35 |

Movable Connector

ART: HRS-301



| Ø    | H  |
|------|----|
| 42.4 | 27 |
| 50.8 | 30 |

> Material: stainless steel > Finish: SSS/PSS

Movable Connector

ART: HRS-302



Tube Connector

ART: HRS-401



| Ø    | H  |
|------|----|
| 42.4 | 55 |
| 50.8 | 60 |

Base Plate

ART: HRS-701



| C   | H  |
|-----|----|
| 80  | 28 |
| 100 | 30 |

Tube Connector

ART: HRS-402



| Ø    | H  |
|------|----|
| 42.4 | 30 |
| 50.8 | 35 |

Base Plate

ART: HRS-702



| C   | H   |
|-----|-----|
| 100 | 71  |
| 100 | 130 |

Base Plate

ART: HRS-801



| Ø    | H    |
|------|------|
| 42.5 | 33.4 |

Handrail Bracket

ART: HRS-501



Handrail Bracket

ART: HRS-601

Ø  
10

Handrail Fixing Accessory

ART: HRS-901



Handrail Fixing Accessory

ART: HRS-1001




&gt; Available for 8-12mm class

&gt; Material: stainless steel &gt; Finish: SSS/PSS

&gt; Available for pipe 42.4 and 50.8 &gt; Material: stainless steel &gt; Finish: SSS/PSS


## GLASS CLAMP

ART: HGC-001



| L  | W  | H  |
|----|----|----|
| 51 | 42 | 24 |
| 62 | 44 | 28 |

ART: HGC-002



| L  | W  | H  |
|----|----|----|
| 51 | 42 | 24 |
| 62 | 44 | 28 |

ART: HGC-003L



| L  | W  | H    |
|----|----|------|
| 50 | 40 | 24.5 |
| 60 | 50 | 28   |

ART: HGC-004R



| L  | W  | H    |
|----|----|------|
| 50 | 40 | 24.5 |
| 60 | 50 | 28   |

> Material: stainless steel > Finish: SSS/PSS > Available for 8~12mm glass



## TOILET CUBICLE FITTINGS

Owing to the fashionable appearance and humanized designs, and quality stainless steel material, the cubicle fittings are mainly used in the public toilets of supermarkets, hotels, commercial buildings, etc.



Bracket Feet

ART: WC-001



Wall Mounting Bracket

ART: WC-002



Door Hinge With Spring

ART: WC-006a



Door Hinge Without Spring

ART: WC-006b



Wall Mounting Angle

ART: WC-003



Tube Holder

ART: WC-004



Door Knob

ART: K-001




Door Knob

ART: K-002



Tube Connector

ART: WC-005a




Tube Connector

ART: WC-005b



Thumb Turn

ART: TT-001




Thumb Turn

ART: TT-002




Thumb Turn

ART: TT-003




Thumb Turn

ART: TT-004




Thumb Turn

ART: TT-101




Thumb Turn

ART: TT-005



Thumb Turn

ART: TT-006



&gt; Material: stainless steel &gt; Finish: SSS/PSS

# GLASS PULL HANDLE

Good quality material and humanized designs, different sizes can be made according to different needs, which are the ideal choices of fashionable life, mainly used in the hotels, commercial buildings, etc.





**ART: GPH-001****Dust Proof Strike****ART: DPS-001**

> Material: stainless steel  
> Finish: SSS/PSS

| Ø  | C    | L    | H  |
|----|------|------|----|
| 32 | 950  | 1200 | 75 |
| 32 | 1100 | 1500 | 75 |
| 32 | 1150 | 1500 | 75 |
| 32 | 1250 | 1800 | 75 |
| 32 | 1500 | 2000 | 75 |
| 32 | 1750 | 2400 | 75 |

> Material: stainless steel > Finish: SSS/PSS

**ART: GPH-002**

> Material: stainless steel > Finish: SSS/PSS

| Ø  | C    | L    | H  |
|----|------|------|----|
| 19 | 150  | 300  | 60 |
| 19 | 200  | 350  | 60 |
| 19 | 250  | 400  | 60 |
| 19 | 300  | 450  | 60 |
| 25 | 200  | 300  | 75 |
| 25 | 250  | 400  | 75 |
| 25 | 300  | 500  | 75 |
| 25 | 400  | 550  | 75 |
| 25 | 550  | 700  | 85 |
| 30 | 200  | 250  | 85 |
| 30 | 200  | 350  | 85 |
| 30 | 250  | 400  | 85 |
| 30 | 300  | 400  | 85 |
| 30 | 350  | 500  | 85 |
| 30 | 400  | 550  | 85 |
| 30 | 450  | 600  | 85 |
| 30 | 550  | 700  | 85 |
| 30 | 600  | 750  | 85 |
| 30 | 700  | 1000 | 85 |
| 30 | 800  | 950  | 85 |
| 32 | 700  | 1000 | 90 |
| 32 | 1000 | 1300 | 90 |
| 32 | 1200 | 1500 | 90 |
| 32 | 1700 | 2000 | 90 |

**ART: GPH-003**

> Material: stainless steel > Finish: SSS/PSS

| Ø  | C    | L    | H  |
|----|------|------|----|
| 30 | 200  | 250  | 85 |
| 30 | 200  | 350  | 85 |
| 30 | 250  | 400  | 85 |
| 30 | 300  | 400  | 85 |
| 30 | 350  | 500  | 85 |
| 30 | 400  | 550  | 85 |
| 30 | 450  | 600  | 85 |
| 30 | 550  | 700  | 85 |
| 30 | 600  | 750  | 85 |
| 30 | 700  | 1000 | 85 |
| 30 | 800  | 950  | 85 |
| 32 | 700  | 1000 | 90 |
| 32 | 1000 | 1300 | 90 |
| 32 | 1200 | 1500 | 90 |
| 32 | 1700 | 2000 | 90 |

**ART: GPH-004**

| Ø  | C    | L    | H  |
|----|------|------|----|
| 19 | 150  | 300  | 60 |
| 19 | 200  | 350  | 60 |
| 19 | 250  | 400  | 60 |
| 19 | 300  | 450  | 60 |
| 25 | 200  | 300  | 75 |
| 25 | 250  | 400  | 75 |
| 25 | 300  | 500  | 75 |
| 25 | 400  | 550  | 75 |
| 25 | 550  | 700  | 85 |
| 30 | 200  | 250  | 85 |
| 30 | 200  | 350  | 85 |
| 30 | 250  | 400  | 85 |
| 30 | 300  | 400  | 85 |
| 30 | 350  | 500  | 85 |
| 30 | 400  | 550  | 85 |
| 30 | 450  | 600  | 85 |
| 30 | 550  | 700  | 85 |
| 30 | 600  | 750  | 85 |
| 30 | 700  | 1000 | 85 |
| 30 | 800  | 950  | 85 |
| 32 | 700  | 1000 | 90 |
| 32 | 1000 | 1300 | 90 |
| 32 | 1200 | 1500 | 90 |
| 32 | 1700 | 2000 | 90 |

&gt; Material: stainless steel &gt; Finish: SSS/PSS

**ART: GPH-006**

|       | C    | L    |
|-------|------|------|
| 29x15 | 500  | 600  |
| 29x15 | 1000 | 1200 |

&gt; Material: stainless steel &gt; Finish: SSS/PSS

**ART: GPH-005**

| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 19 | 200 | 350 | 60 |
| 19 | 250 | 400 | 60 |
| 19 | 300 | 450 | 60 |
| 25 | 200 | 300 | 75 |
| 25 | 250 | 400 | 75 |
| 25 | 300 | 500 | 75 |
| 25 | 400 | 550 | 75 |
| 25 | 550 | 700 | 85 |


&gt; Material: stainless steel &gt; Finish: SSS/PSS

**ART: GPH-007**

| Ø  | C    | L    | H  |
|----|------|------|----|
| 19 | 150  | 169  | 55 |
| 19 | 200  | 219  | 55 |
| 19 | 250  | 269  | 55 |
| 19 | 300  | 319  | 55 |
| 19 | 350  | 369  | 55 |
| 25 | 250  | 275  | 70 |
| 25 | 300  | 325  | 70 |
| 25 | 400  | 425  | 70 |
| 25 | 450  | 475  | 70 |
| 32 | 300  | 332  | 85 |
| 32 | 400  | 432  | 85 |
| 32 | 500  | 532  | 85 |
| 32 | 1000 | 1032 | 85 |

&gt; Material: stainless steel &gt; Finish: SSS/PSS

## ART: GPH-008



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 25 | 200 | 225 | 70 |
| 25 | 300 | 325 | 70 |
| 32 | 300 | 332 | 85 |
| 32 | 350 | 382 | 85 |

> Material: stainless steel > Finish: SSS/PSS


## ART: GPH-010



| Ø  | C    | L    | H  |
|----|------|------|----|
| 19 | 150  | 169  | 55 |
| 19 | 200  | 219  | 55 |
| 19 | 250  | 269  | 55 |
| 19 | 300  | 319  | 55 |
| 19 | 500  | 519  | 55 |
| 25 | 200  | 219  | 70 |
| 25 | 250  | 269  | 70 |
| 25 | 300  | 325  | 70 |
| 25 | 350  | 375  | 70 |
| 25 | 400  | 425  | 70 |
| 25 | 600  | 625  | 70 |
| 25 | 1000 | 1025 | 70 |
| 30 | 300  | 330  | 85 |
| 30 | 400  | 430  | 85 |
| 30 | 600  | 630  | 85 |

> Material: stainless steel > Finish: SSS/PSS

## ART: GPH-009



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 25 | 300 | 325 | 70 |
| 32 | 300 | 332 | 85 |

> Material: stainless steel > Finish: SSS/PSS


## ART: GPH-011



| Ø     | C    | L    | H  |
|-------|------|------|----|
| 20x20 | 150  | 170  | 65 |
| 20x20 | 200  | 220  | 65 |
| 20x20 | 250  | 270  | 65 |
| 20x20 | 300  | 320  | 65 |
| 20x20 | 400  | 420  | 65 |
| 30x30 | 200  | 230  | 90 |
| 30x30 | 300  | 330  | 90 |
| 30x30 | 400  | 430  | 90 |
| 30x30 | 500  | 530  | 90 |
| 30x30 | 600  | 630  | 90 |
| 30x30 | 1000 | 1030 | 90 |
| 30x30 | 1500 | 1530 | 90 |

> Material: stainless steel > Finish: SSS/PSS


## ART: GPH-012



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 19 | 150 | 169 | 55 |
| 19 | 200 | 219 | 55 |
| 19 | 250 | 269 | 55 |
| 19 | 300 | 319 | 55 |
| 19 | 400 | 419 | 55 |
| 25 | 200 | 225 | 70 |
| 25 | 250 | 275 | 70 |
| 25 | 300 | 325 | 70 |
| 25 | 350 | 375 | 70 |
| 25 | 400 | 425 | 70 |
| 25 | 600 | 625 | 70 |
| 32 | 300 | 332 | 85 |
| 32 | 400 | 432 | 85 |
| 32 | 600 | 632 | 85 |
| 19 | 6"  |     |    |
| 19 | 8"  |     |    |
| 19 | 10" |     |    |
| 19 | 12" |     |    |

> Material: brass, stainless steel > Finish: CP/GP/NP/SCP/SNP/SSS/PSS

## ART: GPH-101



| Ø  | C1 | C2  |
|----|----|-----|
| 19 | 8" | 12" |
| 19 | 8" | 16" |
| 19 | 8" | 18" |
| 19 | 8" | 20" |
| 19 | 8" | 22" |
| 19 | 8" | 24" |
| 25 | 8" | 12" |
| 25 | 8" | 16" |
| 25 | 8" | 18" |
| 25 | 8" | 20" |
| 25 | 8" | 22" |
| 25 | 8" | 24" |

> Material: brass, stainless steel > Finish: CP/GP/NP/SCP/SNP/SSS/PSS

## ART: GPH-201



| Ø  | C   |
|----|-----|
| 19 | 12" |
| 19 | 16" |
| 19 | 18" |
| 19 | 20" |
| 19 | 22" |
| 19 | 24" |
| 25 | 12" |
| 25 | 16" |
| 25 | 18" |
| 25 | 20" |
| 25 | 22" |
| 25 | 24" |

> Material: brass, stainless steel > Finish: CP/GP/NP/SCP/SNP/SSS/PSS


## ART: GPH-202



| Ø  | C   |
|----|-----|
| 19 | 12" |
| 19 | 16" |
| 19 | 18" |
| 19 | 20" |
| 19 | 22" |
| 19 | 24" |
| 25 | 12" |
| 25 | 16" |
| 25 | 18" |
| 25 | 20" |
| 25 | 22" |
| 25 | 24" |

> Material: brass, stainless steel > Finish: CP/GP/NP/SCP/SNP/SSS/PSS


ART: GPH-203



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 25 | 250 | 400 | 75 |
| 25 | 300 | 450 | 75 |
| 25 | 400 | 550 | 75 |
| 32 | 300 | 450 | 90 |
| 32 | 450 | 600 | 90 |
| 32 | 500 | 650 | 90 |
| 32 | 600 | 750 | 90 |
| 32 | 800 | 950 | 90 |


> Material: stainless steel > Finish: SSS/PSS

ART: GPH-205




> Material: stainless steel > Finish: SSS/PSS

ART: GPH-206



> Material: stainless steel > Finish: SSS/PSS

ART: GPH-204



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 25 | 250 | 400 | 40 |
| 25 | 300 | 450 | 40 |
| 25 | 400 | 550 | 40 |
| 32 | 300 | 450 | 55 |
| 32 | 450 | 600 | 55 |
| 32 | 500 | 650 | 55 |
| 32 | 600 | 750 | 55 |
| 32 | 800 | 950 | 55 |

> Material: stainless steel > Finish: SSS/PSS


Glass Support  
ART: GSS-001




> Material: stainless steel > Finish: SSS/PSS

## SLIDING DOOR HANDLE


ART: SDH-001




ART: SDH-002



ART: SDH-003



ART: SDH-004



ART: SDH-005



> Material: stainless steel > Finish: SSS/PSS


DOOR LEVER  
HANDLE

Different designs, exquisite and advanced production method, which make the quality lever handle to satisfy different needs, widely applicable to entrance door, bathroom door, gate door, etc.




## HANDLE ROSETTE


ART: E-001



ART: E-002



ART: E-101



ART: E-102




> Material: stainless steel > Finish: SSS/PSS

## HOLLOW LEVER HANDLE

ART: HH-001



ART: HH-003




ART: HH-005



ART: HH-002




ART: HH-004

**ART: HH-006**

> Material: stainless steel > Finish: SSS/PSS

## HOLLOW LEVER HANDLE

ART: HH-007



ART: HH-008



ART: HH-009



ART: HH-010



ART: HH-011



ART: HH-012



&gt; Material: stainless steel &gt; Finish: SSS/PSS

## SOLID LEVER HANDLE

ART: SH-001



ART: SH-002




ART: SH-003




ART: SH-004



ART: SH-005



ART: SH-006




&gt; Material: stainless steel &gt; Finish: SSS/PSS

## LEVER HANDLE ON PLATE


ART: PLQDT-001




ART: PLQDT-101




ART: PLQDT-201



ART: PLQDT-202




ART: PLQDT-203




&gt; Material: stainless steel &gt; Finish: SSS/PSS

## HANDLE AND KNOB


ART: K-101



ART: K-102



ART: K-103



&gt; Material: stainless steel &gt; Finish: SSS/PSS

## LOCKSET

Tubular Latch  
ART: LS-001Privacy Latch  
ART: LS-002


# FURNITURE HARDWARE

Different grade of stainless steel material is chosen by customers, different designs and good quality surface treatment can meet the high-grade requirements of cabinets, wardrobe, etc.




## CABINET HANDLE

ART: FH-001



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 10 | 64  | 128 | 30 |
| 10 | 96  | 160 | 30 |
| 10 | 128 | 192 | 30 |
| 10 | 160 | 224 | 30 |
| 10 | 192 | 256 | 30 |
| 10 | 224 | 288 | 30 |
| 10 | 256 | 320 | 30 |
| 10 | 288 | 352 | 30 |
| 10 | 320 | 384 | 30 |
| 10 | 352 | 416 | 30 |
| 10 | 384 | 456 | 30 |
| 12 | 96  | 160 | 32 |
| 12 | 128 | 192 | 32 |
| 12 | 160 | 224 | 32 |
| 12 | 192 | 256 | 32 |
| 12 | 224 | 288 | 32 |
| 12 | 256 | 320 | 32 |
| 12 | 288 | 352 | 32 |
| 12 | 320 | 384 | 32 |
| 12 | 352 | 416 | 32 |
| 12 | 384 | 448 | 32 |
| 12 | 416 | 480 | 32 |
| 12 | 448 | 512 | 32 |
| 12 | 480 | 544 | 32 |
| 12 | 512 | 576 | 32 |


ART: FH-002



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 8  | 96  | 134 | 27 |
| 8  | 128 | 166 | 27 |
| 8  | 160 | 198 | 27 |
| 8  | 192 | 230 | 27 |
| 8  | 256 | 294 | 27 |
| 10 | 96  | 134 | 27 |
| 10 | 128 | 166 | 27 |
| 10 | 160 | 198 | 27 |
| 10 | 192 | 230 | 27 |
| 10 | 256 | 256 | 27 |

## CABINET HANDLE

ART: FH-003



| Ø  | C   | H  |
|----|-----|----|
| 8  | 96  | 28 |
| 8  | 128 | 28 |
| 8  | 160 | 28 |
| 8  | 192 | 28 |
| 8  | 256 | 28 |
| 10 | 96  | 28 |
| 10 | 128 | 28 |
| 10 | 160 | 28 |
| 10 | 192 | 28 |
| 10 | 256 | 28 |

## CABINET HANDLE

ART: FH-006



| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 10 | 64  | 74  | 30 |
| 10 | 96  | 106 | 30 |
| 10 | 128 | 138 | 30 |
| 10 | 160 | 170 | 30 |
| 10 | 192 | 202 | 30 |
| 10 | 224 | 234 | 30 |
| 10 | 256 | 266 | 30 |
| 10 | 288 | 298 | 30 |
| 10 | 320 | 330 | 30 |

ART: FH-004




| Ø  | C   | L   | H  |
|----|-----|-----|----|
| 10 | 96  | 106 | 30 |
| 10 | 128 | 138 | 30 |
| 10 | 160 | 170 | 30 |
| 10 | 192 | 202 | 30 |
| 10 | 224 | 234 | 30 |
| 10 | 256 | 266 | 30 |
| 10 | 288 | 298 | 30 |
| 10 | 320 | 330 | 30 |

ART: FH-007



| Ø | C   | H  |
|---|-----|----|
| 8 | 64  | 28 |
| 8 | 96  | 28 |
| 8 | 128 | 28 |
| 8 | 160 | 28 |
| 8 | 192 | 28 |
| 8 | 224 | 28 |
| 8 | 256 | 28 |
| 8 | 320 | 28 |

ART: FH-005



| □     | C   | L   | H  |
|-------|-----|-----|----|
| 10x10 | 96  | 106 | 35 |
| 10x10 | 128 | 138 | 35 |
| 10x10 | 160 | 170 | 35 |
| 10x10 | 192 | 202 | 35 |
| 10x10 | 224 | 234 | 35 |
| 10x10 | 256 | 266 | 35 |
| 10x10 | 288 | 298 | 35 |
| 10x10 | 320 | 330 | 35 |
| 10x10 | 352 | 362 | 35 |
| 10x10 | 384 | 394 | 35 |
| 10x10 | 392 | 402 | 35 |

ART: FH-008



| Ø  | C   | H  |
|----|-----|----|
| 10 | 96  | 35 |
| 10 | 128 | 35 |
| 10 | 160 | 35 |
| 10 | 192 | 35 |
| 10 | 224 | 35 |
| 10 | 256 | 35 |
| 10 | 320 | 35 |


## DARK HANDLE

ART: FH-101



| Ø  | H  |
|----|----|
| 30 | 12 |
| 40 | 12 |
| 50 | 12 |
| 65 | 15 |
| 70 | 15 |

ART: FH-102



| L  | H  |
|----|----|
| 30 | 12 |
| 40 | 12 |
| 50 | 12 |
| 60 | 15 |
| 70 | 15 |

ART: FH-103



| C  | L   | H  |
|----|-----|----|
| 40 | 120 | 12 |
| 40 | 120 | 12 |

ART: FH-104




| C  | L   | H  |
|----|-----|----|
| 40 | 120 | 12 |
| 40 | 120 | 12 |

> Applicable for cabinet and wardrobe > Material: stainless steel > Finish: SSS/PSS


## DARK HANDLE

ART: FH-105



| C  | L   | H  |
|----|-----|----|
| 40 | 120 | 12 |
| 40 | 120 | 12 |

ART: FH-106



ART: FH-107



ART: FH-108



| C  | L   | H  |
|----|-----|----|
| 51 | 102 | 12 |
| 51 | 102 | 12 |
| 83 | 125 | 12 |

ART: FH-109



> Applicable for cabinet and wardrobe > Material: stainless steel > Finish: SSS/PSS

# DOOR HARDWARE

Rigorous and meticulous raw material selection, outstanding functional structure and outer designs, exquisite and advanced equipment and perfect manufacturing processes, rigorous quality inspection and control, to make them can meet the multiple construction requirements of civil and commercial purposes as well as the application to public utilities and hotels, etc.



H=2500-2850

H=2200-2500

H=1900-2200

## Hole Pattern Options



Template



Zig-Zag  
(Right)



Zig-Zag  
(Left)




Zig-Zag  
(Symmetrical)

recommendation: 3 pieces per door  
2.0mm hinges: 25~40kgs per door  
2.5mm hinges: 40~60kgs per door  
3.0mm hinges: 60~80kgs per door  
3.5mm hinges: 80~120kgs per door  
4.0mm hinges: 120~150kgs per door

## Zinc Alloy Concealed Hinge

ART: CH-001




| L   | L1 | W  | W1 | D    | D1   | Max Load Weight |
|-----|----|----|----|------|------|-----------------|
| 45  | 19 | 13 | 9  | 19.5 | 6.0  | 10 KG           |
| 60  | 31 | 13 | 8  | 19.5 | 6.0  | 20 KG           |
| 70  | 34 | 16 | 11 | 23.5 | 7.5  | 20 KG           |
| 95  | 51 | 19 | 13 | 28.0 | 10.5 | 20 KG           |
| 118 | 65 | 25 | 17 | 38.0 | 12.0 | 40 KG           |
| 118 | 62 | 28 | 22 | 42.0 | 10.5 | 40 KG           |
| 140 | 75 | 35 | 28 | 51.0 | 12.0 | 60 KG           |

> Material: zinc alloy > Finish: SCP/SP/CP

## Door Closer

ART: DC-001



> Material: Aluminum Alloy  
> Standard Color: Silver/Gold/Bronze

> Item DC-001A/B/C, 2-section adjustment, 2-section speed, max open angle reaches 180°, it can be positioning stop when it reaches 90°-160°. It can be directly installed on the door which can be opened on the left or right, applicable for home, hotels and restaurants, etc.

> Item DC-001D, 3-section adjustment, the first two sections can adjust the speed according to the angle, the third section can adjust the resistance of pushing door to protect the door. It can be directly installed on the left and right door, and it's applicable for home and hotel.

> High strength aluminum alloy body, pass over 300,000 times of open/close test.

| Type          | L       | W  | C1  | C2 | Max Door Width | Max Load Weight |
|---------------|---------|----|-----|----|----------------|-----------------|
| Stop/Non-stop | 230-280 | 56 | 132 | 19 | 900 MM         | 35 KG           |
| Stop/Non-stop | 230-280 | 62 | 162 | 19 | 1000 MM        | 45 KG           |
| Stop/Non-stop | 250-280 | 68 | 188 | 19 | 1200 MM        | 65 KG           |
| Stop/Non-stop | 250-280 | 73 | 205 | 19 | 1500 MM        | 85-100 KG       |

## STAINLESS STEEL DOOR HINGE

## ART: DH-001




| H    | W    | T   |
|------|------|-----|
| 3.0" | 2.0" | 2.0 |
| 3.0" | 2.5" | 2.0 |
| 3.0" | 3.0" | 2.0 |

> Applicable range: wooden and metal frame  
 > Material: stainless steel  
 > Finish: SSS/PSS/PVD/AB/AC

Please specify when order:  
 > For wooden or metal door usage  
 > Hole pattern options: Template, Left Zig-zag, Right Zig-zag, Symmetrical zig-zag  
 > Ball bearing number: 4BB, 2BB or none

## ART: DH-002




| H    | W    | T   |
|------|------|-----|
| 4.0" | 3.0" | 2.0 |
| 4.0" | 3.0" | 2.5 |
| 4.0" | 3.0" | 3.0 |

> Applicable range: wooden and metal frame  
 > Material: stainless steel  
 > Finish: SSS/PSS/PVD/AB/AC

Please specify when order:  
 > For wooden or metal door usage  
 > Hole pattern options: Template, Left Zig-zag, Right Zig-zag, Symmetrical zig-zag  
 > Ball bearing number: 4BB, 2BB or none

## ART: DH-003



| H    | W    | T   |
|------|------|-----|
| 3.5" | 3.5" | 2.5 |
| 3.5" | 3.5" | 3.0 |
| 4.0" | 3.5" | 2.0 |
| 4.0" | 3.5" | 2.5 |
| 4.0" | 3.5" | 3.0 |
| 4.0" | 4.0" | 2.0 |
| 4.0" | 4.0" | 2.5 |
| 4.0" | 4.0" | 3.0 |
| 4.5" | 4.0" | 3.0 |
| 4.5" | 4.5" | 3.0 |

> Applicable range: wooden and metal frame  
 > Material: stainless steel  
 > Finish: SSS/PSS/PVD/AB/AC

Please specify when order:  
 > For wooden or metal door usage  
 > Hole pattern options: Template, Left Zig-zag, Right Zig-zag, Symmetrical zig-zag  
 > Ball bearing number: 4BB, 2BB or none

## Stainless Steel Door Hinge

## ART: DH-004



| H    | W    | T   |
|------|------|-----|
| 5.0" | 3.0" | 3.0 |
| 5.0" | 3.5" | 3.0 |
| 5.0" | 4.0" | 3.0 |

> Applicable range: wooden and metal frame  
 > Material: stainless steel  
 > Finish: SSS/PSS/PVD/AB/AC

Please specify when order:  
 > For wooden or metal door usage  
 > Hole pattern options: Template, Left Zig-zag, Right Zig-zag, Symmetrical zig-zag  
 > Ball bearing number: 4BB, 2BB or none

## Stainless Steel Lift Off Hinge

## ART: DH-101




| H    | W    | T   |
|------|------|-----|
| 4.0" | 3.5" | 2.5 |
| 4.0" | 3.5" | 3.0 |
| 4.5" | 3.5" | 2.5 |
| 4.5" | 3.5" | 3.0 |

> Applicable range: wooden and metal frame > Material: stainless steel > Finish: SSS/PSS/PVD/AB/AC

## Stainless Steel Flush Hinge

## ART: DH-201



| H    | W    | T   |
|------|------|-----|
| 4.0" | 3.0" | 2.5 |
| 4.0" | 3.0" | 3.0 |

> Applicable range: wooden and metal frame > Material: stainless steel > Finish: SSS/PSS/PVD/AB/AC

## STAINLESS STEEL DOOR STOP

ART: DSS-001



ART: DSS-002



ART: DSS-003



ART: DSS-004



ART: DSS-005



ART: DSS-006



&gt; Material: stainless steel &gt; Finish: SSS/PSS

## STAINLESS STEEL DOOR STOP

ART: DSS-007



ART: DSS-008




ART: DSS-009



ART: DSS-010



ART: DSS-011



ART: DSS-101




ART: DSS-102




&gt; Material: stainless steel &gt; Finish: SSS/PSS

## Stainless Steel Door Porthole

**ART: PH-001**

- > Material: stainless steel
- > Finish: SSS/PSS
- > Type: screws invisible/screws visible
- > With 4mm tempered glass inside when installed
- > Applicable for 40 mm thickness door

## Sliding Wheels

**ART: SW-001**

- > Material: aluminum alloy
- > Finish: SCP/SCP/CP

## Door Viewer


**ART: DV-001**

- > Material: brass, zinc alloy
- > Finish: SCP/SCP/CP/PVB
- > Type: with/without tail-hood
- < Lense: glass/plastic

## Stainless Steel Sign Plate

**ART: DP-001**

## Stainless Steel Sign Plate

**ART: DP-002**

## Stainless Steel Sign Plate

**ART: DP-003**

## Stainless Steel Door Number

**ART: DN-001**

> Pattern options: etching/silk-screen > Material: stainless steel > Finish: SSS/PSS

**FINISHES AVAILABLE:**

- AB: Antique Brass Plated
- AC: Antique Copper Plated
- SSS: Satin Stainless Steel
- PSS: Polished Stainless Steel
- BP: Brass Plated
- CP: Chrome Plated
- GP: Gold Plated
- NP: Nickle Plated
- SCP: Satin Chrome Plated
- SNP: Satin Nickle Plated
- ORB: Oil Rubbered Bronze
- PVD: Physical Vapor Deposition